



Strengthening Community Resilience from Spatial Plan Perspective

Saut Sagala

*School of Architecture, Planning and Policy
Development, Institute of Technology
Bandung*

Herryal Anwar

*Research Center of Geotechnology,
Indonesian Institute of Science (LIPI)*

Wahyu Lubis

Resilience Development Initiative

Dodon Yamin

Micra Foundation Indonesia

Working Paper Series

No. 9 | September 2015

© Resilience Development Initiative

WP No : 9
Date : September, 2015



Resilience Development Initiative (RDI) is a think tank initiative based in Bandung, Indonesia that focuses on environmental change and sustainable development. RDI contributes to the body of knowledge on development and disaster research studies in Indonesia and South East Asian Region.

RDI Working Paper Series is published electronically by RDI.

The views expressed in each working paper are those of the author or authors of the paper. They do not necessarily represent the views of RDI or its editorial committee.

Citation of this electronic publication should be made in Harvard System of Referencing.

Editorial Team:

Elisabeth Rianawati
M Wahyu Anhaza Lubis
Dr. Saut Sagala

Contact:

Address: Jalan Imperial II No. 52, Bandung 40135
Jawa Barat – INDONESIA
Phone: +62 22 2536574
Email: rdi@rdi.or.id
Website: www.rdi.or.id

Strengthening Community Resilience from Spatial Plan Perspective*

Saut Sagala¹, Herryal Anwar², Wahyu Lubis³, Dodon Yamin^{3,4}

¹ School of Architecture, Planning and Policy Development, Institute of Technology Bandung, Bandung, Indonesia

² Research Center of Geotechnology, Indonesian Institute of Science (LIPI), Bandung, Indonesia

³ Resilience Development Initiative
Bandung, Indonesia

⁴ Micra Foundation Indonesia
Jakarta, Indonesia

Abstract

Under a research project entitled “Integrated Concept for Community Resilience”, community resilience is conceptually affected by internal socio-economic factors (vulnerability & capacity) and external factors (governance and spatial planning). As part of this research, this chapter scrutinizes the role of spatial plan in strengthening community resilience. Case study selected for this chapter is from two districts in Yogyakarta (Sleman and Bantul). These two districts experienced large scale volcanic eruption and earthquakes in 2010 and in 2006. This study proposes a framework that integrates spatial planning with community resilience and how spatial planning contributes to community resilience in the long run.

Keywords:

Spatial planning; Resilience; Community; External factors; Indonesia

1. Introduction

There are many factors involved in determining how communities develop. In general, this can be grouped into internal and external factors. Internal factors include how community applies their internal characteristics as factors to develop the communities, such as capacities, weaknesses (vulnerability). Meanwhile, external factors include socio-economic politics that affect community settings, such as governance (law, norms) and physical planning settings, such as spatial plan.

Located at the Pacific Ring of Fire, Indonesia has more than 100 active volcanoes (SI-USGS, 2009). Most of the volcanoes are inhabited since they offer many sources of economy to the inhabitants (fertile land, cold climate, tourism). Despite the benefits, a volcano also poses risks to the inhabitants living nearby. In the volcanic crisis situation, the residents have to evacuate and leave their place in time (Perry and Godchaux, 2005) in order to minimize the risks for lives while still suffer losses to their belongings (damages to houses, crops, cattle, etc). In some volcanic prone area, there have been hazard zones developed by National Geological Agency (NGA) of Indonesia. These zones are shown into maps that can be accessed freely from NGA websites. These maps have been recently used in the making or reviewing of spatial plans in hazard prone areas, such as Sleman and Bantul Districts in Yogyakarta.

Community exposures to disasters can be affected by many settings. Partly, this is due to the disasters occur in inhabited places whether in urban or in rural areas. Some of these problems can be attributed

*The full work of this chapter is published in the book “Masyarakat Tangguh Bencana, Pendekatan Sosial Ekonomi, Tata Kelola dan Tata Ruang.” Chapter 3.1, 1st Edition. Editor: Herryal Z. Anwar. LIPI, 2015

to the development of the built environment at hazard prone areas (e.g. floodplains, lowland at coastal areas, close to volcano, earthquake faults, etc). Spatial plans provide tools that can be effective in reducing disaster risks at wider scales (Brody, 2003a; Brody, 2003b; Burby, 1998; Burby and Dalton, 1994; Burby and French, 1981), such as floodplain zoning, hazardous area and built up areas. The questions are to what extent land use plans can affect community resilience? How are spatial planning policies taking role into strengthening community resilience? Taking these questions as case studies, this paper examines the concept of community resilience in Sleman and Bantul from spatial plan perspectives.

2. Literature Review

In the context of community, Twigg (2009) defines community resilience as community that has capacities “(1). to absorb stress or destructive forces through resistance or adaptation, (2). to manage, or maintain certain basic functions and structures, during disastrous events and (3). to recover or ‘bounce back’ after an event”. Twigg (2009) also notes out that spatial plan influence community resilience. Heijmans and Sagala (2013) echo this by proposing spatial plan should be seen as integral and wider components.

How community resilience is related to spatial plan is explained on the basic importance of spatial plan in disaster risk reduction. Urban and regional planners, such as Burby and French (1981) believe that by limiting the hazards through “the conventional ways of dealing with that problem” such as flood control programs, building codes, insurance and disaster relief would significantly reduce hazards and the risks. Furthermore, they suggest that the impact of “limiting development” in areas at risk would minimize the potential for losses of lives and property in large hazardous events and may provide protection for sensitive environmental features. For the study conducted seismic prone city, Cartago, Costa Rica, Montoya (2002) argues that hazard zoning is still an important approach to reduce the risks posed by natural disasters. Therefore, imposing land use plan will help for strengthening community resilience. Brody (2003b) argues that community resilience can be achieved by accommodating the issues of ecosystem management into spatial plan.

Despite many literatures propose the importance of land use plan, however, the implementation of the hazard-zone based land use plan to reduce the risk remains low. Lavigne and Gunnell (2006) provided the examples from their observation to several volcanoes in Central Java, Indonesia. They further noted that the residents living at the slopes of the volcanoes cultivated tobaccos, potatoes and many agricultural plants despite the dangerous that might be posed by the volcanoes.

Nevertheless, there are some doubts on how land use plan can deal with the hazards that people are facing. Kelman and Mather (2008) noted, “avoiding the hazards”, such as through land use plan and hazard zoning implementation”, may not always work. In many cases, the impacts of the volcanic eruptions are not local and are sometimes global. Therefore, any place on the surrounding of the volcanoes can be affected and is not exclusive from the hazards that may occur. In the study at flood plain areas in the Philippines, Sagala et al (2007) also found that it is the residents themselves that ignore in implementing the land use plan. Despite flooded for two weeks in a year, the areas that they are living are close to the markets. Therefore they sacrifice the flood risks to other types of risks which are much higher for them (livelihood risks).

As argued above, land use plans offer several advantage to minimize the disaster risks that people are dealing with. However, when it comes to implementation, in hazard prone, it is challenged by many factors. Not only is it unable to fully provide an exclusive safe zone to the people, but also other types of risk also play role in the resident considerations. Thus, it is necessary to identify a land use plan that can be implementable to reduce disaster risks.

3. Location and Methods

This research was conducted in Sleman District and Bantul District, Yogyakarta. The district has been spatially linked within the context of the Kartamantul Greater Areas (Yogyakarta, Sleman and Bantul). Kartamantul is a region with high interaction of economic activities, people and mobilization among the three districts in this region. In Kartamantul, Sleman serves as an upstream role, the buffer of Yogyakarta and Bantul. Additionally, Sleman has been posed to the threats from the active Merapi Volcano. Meanwhile, Bantul's role as a downstream area is highly exposed to the threat of tsunami and coastal erosion along the coastal side. Since many rivers flow from Sleman to Bantul, passing Yogyakarta City, increasing rainfall intensity in Sleman will bring sediments and flood to Bantul area.




Figure 1 The Study Area in Bantul and Sleman Districts

Source: xxx

According to BPBD of Yogyakarta Province (2014) Sleman has been 20 *Destana* (*Desa tangguh bencana* or Resilient Village) is divided into *Tangguh Pratama* (Early/Low Resilience), *Madya Tangguh* (Medium Resilience), *Tangguh Utama* (High Resilience). Meanwhile, in the district of Bantul has 70 *Destana*. The classification of these resilient villages is used for selecting the samples.

Table 1 Samples Based on Resilient Village Locations

District	Village	Category	Number of Sample
Bantul District	Poncosari	Tangguh Utama (High Resilience)	30
	Mulyodadi	Tangguh Madya (Medium Resilience)	35
	Bangun Harjo	Tangguh Pratama (Early/Low Resilience)	35
Sleman District	Argomulyo	Tangguh Utama (High Resilience)	30
	Hargobinangun	Tangguh Madya (Medium Resilience)	35
	Glagaharjo	Tangguh Pratama (Early/Low Resilience)	35

From the spatial planning perspective, community resilience is measured by the following variables. Spatial planning variables include and use, infrastructure, contingency planning, risk maps, shelters for evacuation, zoning regulations, early warning systems, transportation, spatial planning policy, community awareness to spatial planning. To get an idea of the spatial resilience to disasters is used the approach of the research is mixed approach is quantitative and qualitative.

The Quantitative approach using by questionnaires given to people who are considered representative of the population. Questionnaires are scattered in villages study sites by the number of 200 families. This questionnaire using stratified random sampling approach to select three villages in each district, where the strata are the criteria of a disaster resilient village consisting of Resilient Village Main, Associate, and Primary. Meanwhile for selecting households to be surveyed in each village with a systematic random sampling method, provided respondents the number of people aged ≥ 17 years for men and women.

The processing of data obtained from the survey results include scoring variables, using the SPSS statistical calculation process 20 and Microsoft Excel for processing the primary data that support this research. Data were obtained through a survey prepared by the method of data analysis and descriptive and correlation. Descriptive statistical analysis used to obtain variabel and indicator resilience of spatial planning. The Correlation analysis methods are used to find the relationship and prove the hypothesis of relationship between two variables when the second data in the form of interval or ratio variables, and data resources of the two variables are equal.

4. Results

To measure the ‘resilience’, we propose to sum up all the score from each variable that constitutes community resilience from spatial plan perspective. Therefore, community resilience from spatial plan (CRSP) is shown as below:

$$CRSP = \frac{\sum_{i=1}^n xi}{n} \tag{1}$$

Where:

CRSP : community resilience from spatial plan perspectivewhich is measured as an average value.

x = resilience of indicator i for spatial resilience.

n = number of variables that constitute spatial resilience.

The total resilience that we obtained for In average, resilience score for Sleman is 2,8068 while in average, resilience score for Bantul is 2,6603. This means, in general the average resilience score in Sleman is higher than the average resilience score in Bantul. Therefore, this shows that from spatial plan perspective, Sleman has a higher (better) resilience from Spatial Plan perspective.

We also carry out correlation between the CRSP (for all data) with some variables that are related to physical conditions, such as (i) knowledge of spatial plan about disaster zone, (ii)availability of disaster risk reduction plan at village level, (iii)Understanding of contingency plan and (iv) Evacuation shelter for livestock. The correlation results show that all of these variables are correlated with average resilience score.

Table 2 Correlation between Average Resilience Score and Other Variables

		Average Resilience Score CRSP
Knowledge about spatial plan regulation on safe and dangerous zone?	Pearson	0.528**
	Correlation	
	Sig. (2-tailed)	0
	N	200
Disaster Risk Reduction Plan at Village Level	Pearson	0.494**
	Correlation	
	Sig. (2-tailed)	0
	N	200
Understanding about contingency plan	Pearson	0.440**
	Correlation	
	Sig. (2-tailed)	0
	N	199
Evacuation shelters for movable goods and livestock	Pearson	0.195**
	Correlation	
	Sig. (2-tailed)	0.006
	N	198
** . Correlation is significant at the 0.01 level (2-tailed).		

As shown in table 2, the more the respondents know about spatial plan regulation plan, the higher the average resilience score. This is shown by high correlation (0.528) between these variables. This implies that the existence of spatial regulation plan can make respondents aware of potential hazard zones. Furthermore, this means if a respondent is aware of spatial plan regulation; it also will highly correlate with the resilience of the respondent. Thus, provision of spatial plan regulation per se is not enough. It should be by making people aware of this regulation that guides about safe and dangerous zones.

Similarly, there is a high correlation (0.494) between disaster risk reduction plan with community resilience score. According to the respondents, the existence of disaster risk reduction plan at village level shows its importance contribution to community resilience. Disaster risk reduction plan can guide community on future activities that can be carried out to reduce disaster risks, such as continuous assessment of the potential hazards, agreement about where and when to evacuate, maintenance of infrastructures that can support in case disaster happens, development of disaster management team that continuously increase community awareness, etc. The high correlation indicates that if one wants to increase resilience, development of disaster risk reduction plan at a village level is compulsory.

A high and significant correlation is also found between understanding contingency plan with community resilience score (0.440). This shows that respondents think in the case of disaster, contingency plan will guide them clearly on what to do, which includes standard operating procedures of who does what, where to get resources from, where to evacuate, etc. Therefore, this finding shows that this variable is an important component that contributes to community resilience.

Finally, a significant correlation is also found between evacuation shelters for movable goods and livestock and resilience score (0.195). This implies that communities will consider their belongings and livelihood assets as important consideration before they evacuate. If the location of evacuation is too far from their assets, they are less likely to follow the evacuation. This can be approached by moving their goods and livelihoods to the place closer to the shelter to make sure the evacuees can still save and maintain their belongings. For some people, owning this asset is very important for sustainability of their lives (Kelman and Mather, 2008).

These various variables show that spatial plan at village level matters. This includes spatial plan regulation, DRR Plan, Contingency Plan and Shelter location. DRR Plan covers the identification of hazards, vulnerability, capacity (resources & infrastructures) and their whereabouts. Contingency plan explains the safe routes taken and also logistics needed in case a disaster happens. Finally, shelter location should consider about the community assets. These variables are considered as elements of spatial plans at village level and have to be integrated with the updated spatial plan outputs and processes.




Figure 2 Conceptual Framework of Spatial Plan Contribution to Community Resilience

However, it should be remembered that spatial plan is a document that cannot be separated with the larger contexts. In this sense, spatial plan at village level should be connected with the sub-district, district, provincial and even further until national spatial plan. It is because spatial plan is a consensus where public domain is the important factor in determining agreed products and processes. Therefore, all stakeholders coming in from village, sub-district, district, provincial and national should have mechanism to connect through the spatial plan mechanism. In this regard, this connection is conceptualized in Figure 2.

Looking at wider perspective. Since a disaster can happen from outside of the administrative boundaries, it is important to have a wider perspective. This also implies that the solution may come from wider context. When talking about flooding, it is important to look at watershed context. Or, when there is a far field tsunami, a good early warning system should be in place.

Interaction among different scale and Stakeholder collaboration should be facilitated.

This is actually the role of spatial plans. Spatial plan should be seen as a set of documents that deal with different scales based on its scopes. As discussed, in Indonesia there are different level of spatial plans. This includes National Spatial Plan (*Rencana Tata Ruang Wilayah Nasional*), Island Spatial Plan (*Rencana Tata Ruang Wilayah Pulau*), Provincial Spatial Plan (*Rencana Tata Ruang Wilayah Provinsi*), District/City Spatial Plan (*Rencana Tata Ruang Wilayah Kabupaten/Kota*). At a more

detailed scale, there are also Sub-District Detailed Spatial Plan (*Rencana Detail Tata Ruang Kecamatan*) and Building and Environment Plan (*Rencana Tata Bangunan dan Lingkungan*).

As spatial plan entails different levels of activities, collaboration and coordination among stakeholders are needed. In an upstream and downstream context, collaboration is facilitated by districts. For example, Code River that flows from North Yogyakarta in Sleman to South Yogyakarta in Bantul needs a collaboration among different stakeholders in this region to inform the condition of river and potential of floods. Figure 2 illustrates that coordination across boundaries are important. These boundaries include at higher, horizontal as well as lower level. At higher level can include national and regional settings, while at lower level include sub-district and village level. It is important also to acknowledge horizontal boundaries, where coordination across the borders are important. Often the case, flooding is caused by deforestation or landuse change at adjacent districts or cities. Therefore, stakeholder collaboration will play important role to achieve agreed policy measures.

5. Conclusion

This paper discusses the role of spatial planning in increasing community resilience. The analytical results from two districts (Sleman and Bantul) show that there are elements related to the community resilience which have spatial components at internal village level. This includes spatial plan regulation, DRR Plan, Contingency Plan and Shelter location. Nonetheless, this paper argues that a further relation with external factor is a must. This is shown through a Conceptual Framework of Spatial Plan contribution to Community Resilience. This frameworks suggests that community resilience should consider spatial plan as not only external factors, but also condition that increase and maintain community resilience.

Acknowledgments

This research is supported by LIPI research grant number Integrated Concept for Community Resilience in 2015. We thank our colleagues from LIPI Mrs. Annies, Mrs. Emilia, Mrs. Anggun, Mr. Alfi for the fruitful discussions on community resilience issues and data collection in Yogyakarta.

References

- Brody, S., 2003a. Are We Learning to Make Better Plans. *Journal of Planning Education and Research*, 23(2): 191-201.
- Brody, S., 2003b. Implementing the Principles of Ecosystem Management Through Local Land Use Planning. *Population and Environment*, 24(6).
- Burby, R., 1998. Policies for sustainable land use. In: R. Burby (Editor), *Cooperating with nature: Confronting natural hazards with land-use planning for sustainable communities*. Joseph Henry Press, Washington.
- Burby, R. and Dalton, L., 1994. Plans can matter! The role of land use plans and state planning mandates in limiting the development of hazardous areas. *Public Administration Review*, 54(3): 229-238.
- Burby, R. and French, S., 1981. Coping with floods: The land use management paradox. *Journal of American Planning Association*, 47(3): 289-300.
- Dove, M., 2008. Perception of volcanic eruption as agent of change on Merapi Volcano, Central Java. *Journal of Volcanology and Geothermal Research*, 172: 329-337.

- Hadisantono, R., Andreastuti, M., Abdurachman, E., Sayudi, D., Nurnusanto, I., Martono, A., Sumpena, A. and Muzani, M., 2002. Volcanic Hazard Map of Merapi Volcano, Central Java and Yogyakarta Special Province. Volcanology Survey of Indonesia, Yogyakarta.
- Heijmans, A. and Sagala, S. (2013) Community Self Reliance, a report for design study on Community Resilience, AIFDR.
- Kelman, I. and Mather, T., 2008. Living with volcanoes: The sustainable livelihoods approach for volcano-related opportunities. *Journal of Volcanology and Geothermal Research*, 172: 189-198.
- Lavigne, F., De Coster, B., Juvin, N., Flohic, F., Gaillard, J., Texier, P., Morin, J. and Sartohadi, J., 2008. People's behaviour in the face of volcanic hazards: Perspectives from Javanese communities, Indonesia. *Journal of Volcanology and Geothermal Research*, 172: 273-287.
- Lavigne, F. and Gunnell, Y., 2006. Land Cover Change and Abrupt Environmental Impacts on Javan Volcanoes, Indonesia: A Long-term Perspective on Recent Events. *Reg Environ Change*, 6: 86-100.
- Montoya Morales, A. L. (2002). Urban disaster management: A case study of earthquake risk assessment in Cartago, Costa Rica. PhD Thesis, ITC Netherlands.
- Perry, R. and Godchaux, J., 2005. Volcano Hazard Management Strategies, Fitting Policy to Pattered Human Responses. *Disaster Prevention and Management*, 14(2): 183--195.
- Sagala, S., 2009. Systems Analysis of Social Resilience against Volcanic Risks: Case Studies of Mt. Merapi, Indonesia and Mt. Sakurajima, Japan, PhD Thesis, Kyoto University, Kyoto.
- Sagala, S. and Bisri, M. (2011) Perencanaan Tata Ruang Berbasis Kebencanaan di Indonesia, LIPI Publication.
- Sagala, S., Hofstee, P. and Kingma, N., 2007. Reducing flood vulnerability: the model of resilience in Naga City, the Philippines. In: A. Schumann and M. Pahlow (Editors), *Reducing the vulnerability of societies to water related risks at the basin scale*. IAHS Publishing, Bochum.
- Schlehe, J., 1996. Reinterpretation of Mystical Traditions: Explanation of a Volcanic Eruption in Java. *Anthropos*, 91: 391-409.
- SI-USGS, 2009. Global Volcanism Program, accessed from: <http://www.volcano.si.edu/reports/usgs/> on July 4, 2009.
- Situngkir, F., Sagala, S., Yamin, D., & Widyasari, A. (2014). Spatial Relationship Between Land Use Change and Flood Occurrences in Urban Area of Palembang.
- Twigg, J. (2009). Characteristics of a disaster-resilient community: a guidance note (version 2).